



POWDER FEED PROGRAM

HIGH EC

FLORAPRO® POWDER HIGH EC STOCK SOLUTION FEED PROGRAM Feed rates in mL/gal		Propagation	Vegetative	Early Flower	Mid Flower	Late Flower	Finish	
Use 1.0 lb per gallon concentrated stock solutions	← Mixing Order	FloraPro® Ca + Micros	7.0	31.0	30.0	28.5	19.0	12.5
		FloraPro® Grow	9.0	38.0	–	–	–	–
		FloraPro® Bloom	–	–	33.0	25.5	15.0	–
		FloraPro® Late Bloom	–	–	12.5	21.0	26.0	32.0
		TrueFlo (mL/gal)	3	4	4	4	4	4 - 9
		Nitrogen (ppm)	60	250	210	185	115	50
		Target pH	5.5 - 5.8	5.6 - 6.1	5.7 - 6.2			
		EC (mS/cm)	0.6 - 0.8	2.5 - 2.7	2.6 - 2.8	2.4 - 2.6	1.9 - 2.1	1.5 - 1.7



Learn how to prepare and verify a stock



Learn how to prepare and verify a stock solution
(Video Guide)

Mixing chamber is strongly recommended between the injection of Ca+Micros and the other base inputs

Coco & Rockwool

FLORAPRO® POWDER HIGH EC STOCK SOLUTION FEED PROGRAM Feed rates in mL/gal		Propagation	Vegetative			Early Flower			Mid Flower			Late Flower		Finish
		Wk 1	Wk 1	Wk 2	Wk 3	Wk 1	Wk 2	*Wk 3	Wk 4	Wk 5	Wk 6	Wk 7	Wk 8	Wk 9
Use 1.0 lb per gallon concentrated stock solutions	FloraPro® Ca + Micros	7.0	31.0	31.0	31.0	30.0	30.0	30.0	28.5	28.5	28.5	19.0	19.0	12.5
	FloraPro® Grow	9.0	38.0	38.0	38.0	–	–	–	–	–	–	–	–	–
	FloraPro® Bloom	–	–	–	–	33.0	33.0	33.0	25.5	25.5	25.5	15.0	15.0	–
	FloraPro® Late Bloom	–	–	–	–	12.5	12.5	12.5	21.0	21.0	21.0	26.0	26.0	32.0
	TrueFlo (mL/gal)	3	4	4	4	4	4	4	4	4	4	4	4	4 - 9
	Nitrogen (ppm)	60	250	250	250	210	210	210	185	185	185	115	115	50
	Target pH	5.5 - 5.8	5.6 - 6.1			5.7 - 6.2								
	EC (mS/cm)	0.6 - 0.8	2.4 - 2.6			2.6 - 2.8			2.4 - 2.6			1.9 - 2.1		1.5 - 1.7

*For an 8-week flowering schedule, reduce the 'Early Flower' phase by one week.



POWDER FEED PROGRAM

HIGH EC w/FUL+

FLORAPRO® POWDER HIGH EC w/FUL+ STOCK SOLUTION FEED PROGRAM Feed rates in mL/gal		Propagation	Vegetative	Early Flower	Mid Flower	Late Flower	Finish	
Use 1.0 lb per gallon concentrated stock solutions	Mixing Order	FloraPro® Ca + Micros	7.0	31.0	30.0	28.5	19.0	12.5
		FloraPro® Grow	9.0	38.0	–	–	–	–
		FloraPro® Bloom	–	–	33.0	25.5	15.0	–
		FloraPro® Late Bloom	–	–	12.5	21.0	26.0	32.0
 Learn how to prepare and verify a stock solution (Video Guide)	↓	FloraPro® FUL+	–	2	2	4	4	4
		TrueFlo	3	5	5	5	5	5 - 9
		Nitrogen (ppm)	60	255	215	195	125	60
		Target pH	5.5 - 5.8	5.6 - 6.1	5.7 - 6.2			
		EC (mS/cm)	0.6 - 0.8	2.6 - 2.8	2.7 - 2.9	2.6 - 2.8	2.1 - 2.3	1.7 - 1.9



Learn how to prepare and verify a stock solution
(Video Guide)

Mixing chamber is strongly recommended between the injection of Ca+Micros and the other base inputs

Coco & Rockwool

FLORAPRO® POWDER HIGH EC w/FUL+ STOCK SOLUTION FEED PROGRAM Feed rates in mL/gal		Propagation	Vegetative			Early Flower			Mid Flower			Late Flower		Finish
		Wk 1	Wk 1	Wk 2	Wk 3	Wk 1	Wk 2	*Wk 3	Wk 4	Wk 5	Wk 6	Wk 7	Wk 8	Wk 9
Use 1.0 lb per gallon concentrated stock solutions	FloraPro® Ca + Micros	7.0	31.0	31.0	31.0	30.0	30.0	30.0	28.5	28.5	28.5	19.0	19.0	12.5
	FloraPro® Grow	9.0	38.0	38.0	38.0	–	–	–	–	–	–	–	–	–
	FloraPro® Bloom	–	–	–	–	33.0	33.0	33.0	25.5	25.5	25.5	15.0	15.0	–
	FloraPro® Late Bloom	–	–	–	–	12.5	12.5	12.5	21.0	21.0	21.0	26.0	26.0	32.0
	FloraPro® FUL+	–	2	2	2	2	2	2	4	4	4	4	4	4
	TrueFlo	3	5	5	5	5	5	5	5	5	5	5	5	5 - 9
	Nitrogen (ppm)	60	255	255	255	215	215	215	195	195	195	125	125	60
	Target pH	5.5 - 5.8	5.6 - 6.1			5.7 - 6.2								
	EC (mS/cm)	0.6 - 0.8	2.6 - 2.8			2.7 - 2.9			2.6 - 2.8			2.1 - 2.3		1.7 - 1.9

*For an 8-week flowering schedule, reduce the 'Early Flower' phase by one week.